

KAM-U-BUL2MP

Utomhus 2MP IP Bullet Kamera IR, med brett dynamiskt range. 2,7 - 12mm lens. PoE eller 12VDC.

FEATURES

- 1/2.8" Scan CMOS
- 2,7 - 12mm Motorlins
- 2mp (1920 × 1080)
- IR (Nattvision) upp till 30 meter
- IP67 Utomhus. Med Shields
- Utsikt: 105 - 32 grader
- H.265, H.264, MJPEG
- POE eller 12VDC
- Driftstemperatur: -40 ° C ~ 60 ° C
- Mått: 264,5 × 82,7 × 80,3 mm
- Vikt: 830 g



DANBIT A/S - Dansk Binær Teknik
Værkstedvej 39 Køge , 4600 Danmark



+45 56 66 20
20



salg@danbit.dk

SPECIFICATIONS

Billede	:	1/2.8" Progressive Scan CMOS
Certifications	:	CE / FCC
Dimensioner	:	264.5×82.7×80.3mm
Driftstemperatur	:	-40°C ~ 60°C
Ethernet	:	1 Ethernet (10/100 Base-T) RJ-45 Connector
Forsyning	:	POE, 12VDC
Funktioner	:	True WDR-12dB
Kamera	:	IR afstand op til 30 meter
Linse	:	Motor linse
Kompositioner	:	Metal
Opløsning	:	Maks. 1080P(1920×1080)
OS SUPPORT	:	IOS, Android. virker på internet explorer, chrome, firefox

KAM-U-BUL2MP

SPECIFICATIONS

Protokol	:	IPv4/IPv6, 802.1x, HTTP, HTTPS, TCP/IP, UDP/IP, RTSP, DHCP, NTP, RTCP/RTP, PPPoE, SMTP, DNS, UPnP, FTP, ARP, SNMP
Strømforbrug	:	3W (IR LED OFF), 8W (IR LED ON)
Video	:	H.265, H.264, MJPEG
Vikt	:	830g